

Index

Bold page numbers indicate figures, tables, and maps

A

- Abaco, Bahamas, 13, **16**
 Abrolhos Reef, Australia, 227
 ABS. *See* acrylonitrile butadiene styrene plastic
 absorption of acoustic waves, 30
 abundance of fish, 4, 6, 20, 157, 162, 185, 246, 247, 250
 on Heceta Bank, 203, 205, 208, 209, 211, 213-214, **214**, 254-255
 in Northeast Pacific waters, 143, 144, 146, 148, 150-151
 in untrawlable waters, 132, 136, 140
 accelerating water mass, 91, 96, 244
 acoustical surveys, 2
 acoustic seabed classification, 6
 features of acoustic response of the seafloor, **197**
 issues related to, 263
 QTC analysis, 6-7
 and scale disparities in British Columbia coast mapping project, **199**
 systematic acoustic seafloor habitat mapping of British Columbia coast, 195-201, 245
 3-D acoustic diversity map, **201**
 vessel track on acoustic classification map, **200**
 video sleds and habitat mapping, 99-107, 250-251
 acoustic classification, 6
 acoustic diversity, 195, 197, 198, **201**, 245
 acoustic Doppler current profiler (ADCP), 131, 139, 247, 250, 261
 acoustic frequency, 29
 acoustic habitat classification, 199, 245, 253
 acoustic impedance, 30, 37, 91, 239
 diagram of acoustic impedance contrast, **31**
 acoustic remote sensing (ARS)
 comparisons of types of ARS, 242-243
 diagram of acoustic impedance contrast and seabed roughness, **31**
 frequencies of ARS
 bandwidth, pulse duration and range resolution, **33**
 transducer sizes and beam footprints as a function of ARS frequency and beamwidth, **37**
 and wavelength, range and penetration, **33**
 acoustic remote sensing (ARS) (continued)
 installation of acoustic sensors, 73
 mounting of acoustic sensors, 73-76, **74**, **75**, **76**, **77-79**, 243
 and multibeam swath sonar, 40-41
 parameters that can be measured, 29, **29**
 positioning for, 42
 post processing of, 42, 44
 mosaics resulting from different levels of, **43-44**
 and sidescan sonars, 36-38, 40
 technology advances in, 41-42
 as a tool for habitat mapping in Alaska waters, 29-45
 and vertical-beam sounders, 34-36
 acoustic waves, 30, 33, 34, 37, 242
 ACPs. *See* Active Control Points
 across-track lateral resolution. *See* resolution, lateral resolution
 acrylonitrile butadiene styrene (ABS) plastic, 49
 Active Control Points (ACPs), 80
 ADCP. *See* acoustic Doppler current profiler
 ADFG. *See* Alaska Department of Fish and Game
 airborne LIDAR bathymetry (ALB), 72. *See also* LIDAR (light detection and ranging system)
 air gun systems as marine seismic sources, 91, 96, 244
 Alaska
 acoustic remote sensing as a tool for habitat mapping in, 29-45
 Alaska-specific issues related to mapping, 261
 comparison with Scotian Shelf, 171
 lessons learned from Ireland, Australia, and California, 263-265
 marine benthic habitat classification: what's best for Alaska, 169-184, 253-254
 Alaska Board of Fisheries (BOF), 20
 Alaska Department of Fish and Game (ADFG), 4, 20, 22, **110**, 149, 150, 178, 240, 247, 249
 Alaska Fisheries Science Center (AFSC), NOAA, 4, 22, **101**, 104
 Alaskagorgia aleutiana. *See* gorgonian coral
 Alaska Habitat Mapping Workshop, 234
 Alaska Sea Grant College Program, 2
 ALB. *See* airborne LIDAR bathymetry
 Albany, Australia, 234
 Albatross Bank, 178, 249
 Aleutian Islands, 2, 172, 178, 238
 coral gardens, 20-21, 22, **23**, 239
 Delta (manned submersible) surveys, 149, 151
 algorithms from Multiview software, **197**
 Allee, Brian, 1-11, 237-265
Allocentrotus fragilis. *See* urchin
Aloha (F/V), **205**, 205
 along-track resolution. *See* resolution, lateral resolution
 altimeters, 103, 104
 Amend, M.R., 4
 analog video vs. digital video, **103**
 Anderson, T.J., 5
 angle of incidence. *See* incidence angles
Anoplopoma fimbria. *See* sablefish
 ANOVA (analysis of variance), 162, 214
Anthomastus, 213
Antipathes dendrochristos. *See* black Christmas tree coral
 Applied Acoustic Technologies, model 219 transponder, 116, 117-118, 122-123
Aquarius (manned submersible), 4, 263
 ArcGIS software, 118, 161, 162, 225, 227, 247, 251, 252
 example of distribution of black coral, **164**
 map of "drainage" for southern margin of Australia, **225**
 use of Greene habitat mapping scheme in, 181
 ArcInfo software, 121, 227, 257
 ArcMap software, 118, 121
 Hawth's Tools for ArcMap software, 118, 121
 Arctic region, 2, 49, 80, 221, 238, 239, 240, 261
 ARS. *See* acoustic remote sensing (ARS)
 articulated cranes, **50**
 assemblages, 143
 benthic assemblages, 93
 biological assemblages, 148, 149, 151, 205-206, 209, 214, 221, 223, 225
 list of published studies, **227**
 habitat-specific assemblages, 149
 Auke Bay Laboratory, NMFS, **110**, 178, 249
 Auster, P.J., 119
 Australia, 5, 238
 applications of geoscience to the representative marine protected area program, 256-258

- Australia (continued)
- Australian Exclusive Economic Zone, 1, 219, 220, 222, **226**, 234, 256, 263, 264
 - Australian scheme for classification of habitats, 171-172, 221-222, 234, 253, 256-257
 - geomorphic features map, 222-223, 225
 - list of features mapped in Australia's EEZ, **224**
 - for Southwest Planning Region, **226**
 - lessons learned from the representative marine protected area program, 263-265
 - location of 41 bioregions in Australia, **223**
 - map showing "drainage" for part of southern margin, **225**
 - representative marine protected area program, 219-236
 - scheme for classification of habitats, 171-172, 173
 - and UN Law of the Sea, 258
 - Australian Department of the Environment, Water, Heritage and the Arts (DEWHA), 219, **220**
 - Australian shelf, 223
 - AUVs (autonomous underwater vehicles), 157, 161
 - comparison with underwater video sleds, 106
 - day rates for AUV mounted multibeam sonar, **259**
 - imaging AUVs, 1. *See also* D. Allan B. (Dorado class vehicle); *SeaBED* (imaging AUV); *Sirius* (AUV)
 - advantages of, 4, 138-139
 - day rates for, **260**
 - disadvantages of, 139-140
 - issues related to, 262-263
 - limitations of, 250
 - mapping AUVs, 1
 - advantages of, 3
 - mapping payload section of an AUV, **51**
 - Axial Seamount, 243
 - surveys, 47, 57, 60, **61-62**
- B**
- backscatter, 7, 169, 211, 239-240, 241
 - 3-D presentation of backscatter of C3D sonar, **40**
 - acoustic backscatter, 87, 255, 256, 261
 - in shallow water, 71, 73
 - used to map British Columbia coast, 195-201
 - and acoustic remote sensing in habitat mapping, 29-45
 - and post processing of ARS, 42
 - amplitude data, 31, 40, 42, **62**, 134, 197
 - "beam time-series," 239
 - broadband backscatter, 256
 - diagram of acoustic impedance contrast, **31**
 - false backscatter, 189
 - impact of bottom type and angle of incidence on backscatter, **32**
- backscatter (continued)
 - intensity, 6, **26**, 50, 187-189, 192, 252
 - backscatter intensity rasters, 186, 189
 - backscatter-intensity variance, 187
 - seafloor backscatter intensity data in CCWMP, **188**
 - interpreting, 242
 - mosaics, 176
 - multibeam backscatter, 41, 50, 91, 93, 96, 111, 113, 118, 169, 239, 240, 241, 242, 243, 249, 256
 - map of Heceta Bank using
 - multibeam backscatter, **207**
 - matching multibeam backscatter to sonar classification signatures, 251
 - Raman backscatter, 241
 - sidescan backscatter, 239, 242
 - "snippet," 239, 240, 241
 - usability of backscatter data in INSS, 256
 - use of backscatter to study Heceta Bank, **207**, 211, 213
 - water column backscatter, 240
 - ways to improve quality of, 186
- Bahamas, 13, **16**
- Baird, Doug, 241
- Bamfield Marine Science Center, **110**
- bandwidth, 81, 91
 - and ARS frequencies, 32, **33**, 33, 34, 35
 - and multibeam sonars, 40, 41
- Baranof Island, 178
- Barkley Canyon, 47, 57, **59**, 243
- Barrie, J. Vaughn, 3, 91-97, 244-245, 262
- basket stars, 209
- bathymetric (phase-measured) sidescan sonars (BSSS), 71, 72. *See also* sidescan sonars (SSS)
- Benthos C3D BSSS, 38, 40, **76**, 195, 199, 241, 243, 245
- bathymetric position index, 185
- bathymetric resolution. *See* resolution
- bathymetric surveys, 4, 6, 91
 - bathymetric LIDAR surveys, 241-242
 - CHS surveys, 195, 196
 - D. Allan B. (Dorado class vehicle), 56
 - regional bathymetric surveys and ARS, 34
 - SeaBED* (imaging AUV), 4, 131
 - shallow-water survey, 89
- bathymetric variance, 185
- bathymetry attributed grid (BAG), 241
- Bathysaurus* (ROV), 256
- "beam time-series," 239
- beamwidth and acoustic remote sensing, 29, 32, 40, 41
 - transducer size and beam footprints as a function of ARS frequency and beamwidth, **37**
- Belgica Mound Province in Porcupine Seabight, 256
- belt transects, 146, 147
- benthic assemblages, 93
- benthic habitat mapping, 1, 2, 6, 7, 169, 170, 237-238, 240. *See also* marine habitat mapping
- importance of, 258
- Benthic Sanctuary, **220**
- Benthos, 38
 - C3D BSSS, 38, 40, **76**, 195, 199, 241, 243, 245
 - Data Sonic PSA916 sonar altimeter, 145
 - MiniROVER MKII, **110**
 - Stingray, 246
 - Bering Sea, 2, 178
 - bigfin eelpout, 214
 - Big Sur, California, 60
 - biodiversity, 7, 8, 219, 234, 260, 261, 264
 - in Australia, 219, 220, 221, 234, 256, 257, 263
 - impact of high trawl intensity on, 150
 - tied to habitat diversity, 256, 257
 - bioherms (mounds), 95
 - biological assemblages, 148, 149, 151, 205-206, 209, 214, 221, 223, 225
 - list of published studies, **227**
 - biological habitat, 196
 - surrogates for, **227**, 257
 - Biological Resources Division, USGS, 251-252
 - biomass, 139, 143, 147, 248
 - of cowcod, 248
 - declines in, 203
 - marine biomass pyramid, 29
 - of rockfish, 150, 249, 250
 - rosethorn rockfish, 129, 130, 132, 134, 136, **137**, 138
 - within the water column, 34
 - biomes, 222, 234
 - bioregionalization in Australia, 5, 219-220, 225, 257
 - derivation of for Australia, 222
 - location of 41 bioregions in Australia, **223**
 - biostromes (beds), 95
 - biotopes, 5, 222, 257
 - black Christmas tree coral, 151
 - black coral, **164**
 - Bluetooth data links, 87
 - bocaccio, 149
 - boomer systems as marine seismic sources, 91
 - BOSS. *See* buried object scanning sonar
 - bottom contacting video sleds, **99**, 99-100, 104, 250
 - descriptive guide to equipment and costs, **105**
 - still image captured by, **106**
 - bottom roughness
 - diagram of angle of incidence of backscatter for different bottom types, 32, **32**
 - bottom tending video sleds, **100**, 100-101, 250
 - descriptive guide to equipment and costs, **105**
 - bottom trawl surveys, 6
 - "bottom-up" classification, 169
 - bottom-up methodology, 101, 102, 234
 - bottom water temperature, 5
 - Breakout Groups, at workshop
 - integrating biology and geology: selecting appropriate technologies, 260-261

- Breakout Groups, at workshop (continued)
 lessons learned from Ireland, Australia,
 and California, 263-265
 techniques and tools specific to
 environments, 261-263
- Bristol Bay, Alaska, 6
- British Columbia. *See also* Barkley Canyon;
 Hecate Strait, British Columbia
 Coastal and Oil Gas Leases and
 Composite of Some Marine
 Species in British Columbia, **19**
 coastal British Columbia, 3, 6, 57
 Canadian continental shelf, 151
 marine habitat mapping, 17, **19**
 systematic acoustic seafloor habitat
 mapping of British Columbia
 coast, 195-201, 245
 trawl fishery and surficial geology, 93-95,
 244
- brittle stars, 209
- Browns Bank (Scotian Shelf), 7
- Brylinsky, Cleo K., 169-184
- BSSS. *See* bathymetric (phase-measured)
 sidescan sonars
- buried object scanning sonar (BOSS), 42
- Buttercup* (ROV), 247
- bycatch rates, 7, 129, 131, 249
- Byerly, Mike, 4, 119, 247, 262
- C**
- C&C Technologies, 81
- C3D sonar, 38, 40, 76, 195, 199, 241, 243, 245
 3-D presentation of backscatter, **40**
- cable route surveys, 243
 Monterey Bay, 47, 56-57
 track of *D. Allan B. MARS* cable route,
 56-57
- caldera of Axial Seamount, 60, **61-62**
- calibrated backscatter, 6
- calibration grid for ROVs, 121, **121**
- California Artificial Reef Enhancement
 Program (CARE), 144
- California Coastal Conservancy, 185
- California Coast State Waters Mapping
 Project (CCSWMP), 6, 185-194
 area of each substrate-depth class in
 CCSWMP, **192**
 classified rugosity image, **190**
 lessons learned from, 263-265
 map showing sonar survey off Coal Oil
 Point, **186**
 seafloor backscatter intensity data in
 CCSWMP, **188, 191**
 seafloor character and substrate class,
192
 use of maximum likelihood classification
 (MLC), 187-189
- California Current Large Marine Ecosystem,
 203
 map locating Heceta Bank, **204**
- California Department of Fish and Game
 (CDFG), **110**, 144, 185
- California Ocean Protection Council
 (COPC), 144, 185, 192
- California State Marine Life Protection Act
 (MLPA), 185, 187
 depth zones used by, **192**
- California State University, Monterey Bay
 Seafloor Mapping Lab, 185
- cameras. *See also* specific models
 color video survey camera, **146**
 high resolution, **102**, 103, 104, 113, 132,
 139-140, 145, 213, 214, 246, 254
 low-light video camera, **146**
- camera sleds. *See* underwater camera sleds
- Canada, Geological Survey of, 7
- Canadian Hydrographic Service (CHS), DFO,
 6, 71, 89, 111, 113, 195, 242-243,
 245
 systematic acoustic seafloor habitat
 mapping of British Columbia
 coast, 195-201
- Canadian WAAS. *See* CWAAS
- canary rockfish, 205, 209
- Cape Addington, 249
- Cape Edgcombe, Alaska, 22
- Cape Ommaney, 178, 249
- CARE. *See* California Artificial Reef
 Enhancement Program
- Caress, David W., 3, 47-69, 243, 262
- Carlile, D.W., 146, 147
- CAR principle, 220
- case histories, 7-8. *See also* Australia,
 representative marine protected
 area program; Heceta Bank,
 Oregon, twenty years of fish-
 habitat studies; Irish National
 Seabed Survey (INSS)
- CBD. *See* Convention on Biological Diversity,
 United Nations
- CCSWMP. *See* California Coast State Waters
 Mapping Project
- CDFG. *See* California Department of Fish
 and Game
- CDGPS, **81**, 81
- Center for Habitat Studies of Moss Landing
 Marine Laboratories, 111, 113,
 178, 185
- certified nautical charting, 3
- Channel Islands, 248
- CHARTS, 241
- Chatham Strait, **177**
- Chirikof Island, 178
- chirp sonar, 34-35, 42, 91, 93
 Edgetech FSDW chirp sonar, 50
 swept frequency, 244, 262
- Chiswell Ridge, Alaska, 4
- CHS. *See* Canadian Hydrographic Service,
 DFO
- Clague, David A., 47-69
- clam habitats, 258
- Clarke, M. Elizabeth, 129-141
- Classification of Sublittoral Habitats with
 Applications to the Northeastern
 North American Region, **172**
- Classification of Wetlands and Deepwater
 Habitats of the U.S., **171**
- classification schemes for habitats. *See*
 habitat classification procedures
- Classification System of Marine and
 Estuarine Habitats, **171**
- Clearwater Fine Foods Incorporated, 7
- Clemons, Julia E.R., 203-217
- clump weight system and ROV surveys, **116**,
 125
 troubleshooting table for ROV
 operations, **125**
- CMECS. *See* Coastal and Marine Ecological
 Classification Scheme, NOAA
- C-Nav service, 81
- Coal Oil Point, California, 186, **186**, 187
- Coastal and Marine Ecological Classification
 Scheme (CMECS), NOAA, 5, 170,
 171, **172**, **176**, 253
- Coastal and Marine Geology Program, USGS,
 251-252
- Coastal and Marine Systems of North
 America: Framework for an
 Ecological Classification Standard:
 Version II, **172**
- Coastal and Oil Gas Leases and Composite
 of Some Marine Species in British
 Columbia, **19**
- Coastal Map Development Workshop
 (USGS), 185
- Cochrane, Guy R., 6, 185-194, 251-252
- communications
 and AUVs, 49, 50, **132**
 and ROVs, 109, 123
 and small-boats, **80**, 80, 82, 83, 87, 243
- Compact Hydrographic Airborne Total
 Survey. *See* CHARTS
- complexity of the seafloor, 173
- conductivity and temperature at depth
 (CTD) sensors, 50, 51, 248, 252
- Construction of Digital Potential Marine
 Benthic Habitat Maps Using a
 Coded Classification Scheme and
 Their Application, **172**
- continuous data vs. binning, 258
- Convention on Biological Diversity (CBD),
 United Nations, 219, 256, 257, 263
- Conway, Kim W., 3, 91-97
- Cook Inlet. *See* U.S. Exclusive Economic
 Zone
- COPC. *See* California Ocean Protection
 Council
- Coquille Bank, Oregon, 206, 215, 250
 AUV survey of, 4, 129, 131, 134, 136, 138
 bathymetry and survey tracks, **135**
 habitat characteristics at, **136**
 map of *SeaBED* AUV survey, **131**
 multibeam sonar survey of, 134
- corals, 213
 Aleutian Islands coral gardens, 20, 22,
23, 239
 black Christmas tree coral, 151
 black coral, **164**
 Eastern Gulf of Alaska Coral Habitat
 Protection Area, 22, **26**
 gorgonian coral, 151
 hydrocorals, 149
 red tree corals, 22, 149, 151
- Cordell Bank Marine Sanctuary, **110**, 162,
 253
 example of Kriging analysis map, **165**
- Cortez Bank, California, **158**
- cowcod, 146
 sampling grid for study of, **158**

- Cowcod Conservation Areas, California, 248, 253
- crinoids, 209
- crossing lasers, 104
- cross-track beamwidth, 40
- cross-track distance and angles of incidence, **39**
- Csepp, D.J., 114, 119, 125
- CTD. *See* conductivity and temperature at depth sensors
- currents, 5, 17, 71, 170, 171, 172, 176, 239, 251, 253, 260
- contour-focused currents, 94
- as a critical element for habitat mapping, 173
- high current areas and ROVs, 119-120
- minimal currents, 246
- near-bottom currents, 94, 244
- prevailing currents, 100, 101, 149
- residual currents, 96
- tidal currents, 119, 120, 257
- as a way to differentiate habitats, **29**
- CWAAS, 80
- D**
- Daisy Bank, Oregon, 206, 215, 250
- AUV survey of, 4, 129, 131, 134, 136, 138
- bathymetry and survey tracks, **135**
- habitat characteristics at, **136**
- map of *SeaBED* AUV survey, **131**
- multibeam sonar survey of, 134
- D. Allan B.* (Dorado class vehicle), 243
- design of, **48**
- interior of, **49**
- specifications for, 49-52
- track of *D. Allan B.* MARS cable route, **56-57**
- used in the MBARI survey, 47-69
- data, management of
- data archiving and availability, 258
- data quality maintenance, 159
- main vehicle computer (MVC), 49, 51, 52
- need for standards, 258, 261
- power needs for, 87
- relationships among data tables, **162-163**
- for ROVs, 124-125
- statistical issues related to, 157-158
- video analysis, experimental design
- and database management of submersibles, 157-167, 252-253
- video and data logging equipment, 4, 49, 51, 53, 73, 82, 87, 157, 158-159, 161, 162, 241
- David and Lucile Packard Foundation, 144
- Davidson Seamount, 243
- day rates
- for remote sensing technologies, **259**, 259
- for visual survey techniques, **260**
- Decision Tree Classification, 251
- deep ocean, 36, 47, 60, 195, 261, 262
- Deep Ocean Engineering, 262
- Phantom DS4, **110**
- Phantom HD2, **110**
- Phantom HD 2+2, 109, 110, **111**, 113, 246, 247, 248
- Deep Ocean Engineering (continued)
- Phantom S2, **110**
- Phantom XTL, **110**
- DeepSea Power & Light, 113
- Super SeaCam camera, 145
- deepwater habitat classification scheme, 5, 169, 253. *See also* Greene, H. Gary, habitat mapping scheme
- Delta* (manned submersible), 1, 4, 126, 178, 255, 263
- discovery of new species, 151
- evaluating the effectiveness of, 248
- example of map of distribution of black coral, **164**
- inside the submersible, **147**
- sensors mounted on, **146**
- specifications for, **144**, 144-146
- study of demersal communities, 143-155, 247-249
- survey of targets from, **147**
- use of on Heceta Bank, **205**, 206, 208, **212**, 213-214, 254
- Delta Oceanographics, 4, 144
- DEM. *See* digital elevation models of the seabed
- demersal fishes, 5, 239, 247-249. *See also* specific names
- on Heceta Bank, 205, 206
- studies using the *Delta* (manned submersible), 143-155
- density estimates
- of certain rockfish, 20, **212**, 248
- ROV surveys of, 121, 126, 247, 248
- of selected on Heceta Bank, **210**, **212**
- Department of Fisheries and Oceans, Canada (DFO), 139, 195
- Canadian Hydrographic Service (CHS), 6, 71, 89, 111, 113, 195, 242-243, 245
- systematic acoustic seafloor habitat mapping of British Columbia coast, 195-201
- Pacific Biological Station, **110**
- deployment geometry and angles of incidence, **39**
- deployment techniques
- for acoustic remote sensing, 2, 29
- for *SeaBED* (AUV), **133**
- depth information, 41
- as a critical element for habitat mapping, 173
- example of depth and slope stratification in San Juan Channel, **120**
- four overlapping depth zones, 195
- provided by sidescan sonars, 38
- as a way to differentiate habitats, **29**
- Desert Star Pilot, 116
- designs, survey
- Delta* (manned submersible) survey of demersal fishes, 146-148
- ROV surveys, 119
- SeaBED* AUV survey of rosethorn rockfish, 134
- small-boat surveys, 88
- video analysis, experimental design
- and database management of submersibles, 157-167, 252-253
- DEWHA. *See* Australian Department of the Environment, Water, Heritage and the Arts
- DFO. *See* Department of Fisheries and Oceans, Canada
- DGPS, 71, 80, 81, 116, 247
- DIDSON acoustic camera system, 104, 129, 139, 250
- digital elevation models (DEM) of the seabed, 38
- digital video vs. analog video, **103**
- distance to target, **147**, 147
- diver observations
- and manned submersible surveys, 4
- and towboard surveys, 4-5
- Doppler velocity log (DVL), 50, **51**, 51-52, 53, 118, 126, 145, **146**, 243, 247, 250
- Dorado class vehicles
- MBARI surveys using the *D. Allan B.*, 47-69
- specifications for, 49
- "drainage" for southern margin of Australia, map showing, **225**
- drop camera video sleds, **101**, 101, **104**, 111, 118, 250
- descriptive guide to equipment and costs, **105**
- fish response to, 122
- DSPL. *See* DeepSea Power & Light
- dual frequency identification sonar. *See* DIDSON acoustic camera system
- DVL. *See* Doppler velocity log
- DV Logger software, 251
- dynamite, 244
- DynaPlate, 81
- E**
- Eastern Gulf of Alaska Coral Habitat Protection Area, **22**, **26**
- ecological mapping, 237
- ecosystems
- ecosystem-based management, 1
- ecosystem-driven habitat maps, 171
- Edgecumbe volcanic fields, **174**, 249
- Edgetech
- 4700 sidescan sonar, 38, 41
- FSDW chirp sonar, 50
- EEZ (Exclusive Economic Zone). *See* Australia; Ireland; U.S. Exclusive Economic Zone
- EFH. *See* essential fish habitat
- EGNOS, 80, **81**
- Elac multibeam sonars, 241
- Elakha* (R/V), **114**
- electrical systems. *See* power needs
- electrodynamic boomers, 244
- electronic navigation charts (ENC), 71
- "El Guapo" vents, **62**
- Emerging Critical Areas, 241
- EM models
- EM1002 multibeam sonar, 195, 197, 198, **199**, 199, 255
- EM1002 transducer, **78**
- EM120 multibeam sonar, 255
- EM3002 multibeam sonar, 198, 199, **199**, **201**

- ENC. *See* electronic navigation charts
- energy regimes, 5, 257
- engineering surveys using ARS, 34
- Environmental Protection and Biodiversity Conservation (EPBC) Act (Australia), 219
- epibenthic communities and soft sediment, 151
- equipment maintenance and ROVs, 122-123
- ERDAS Imagine decision trees, 251
- ER-Mapper software, 219, 225, 257
- ESRI
 ArcGIS software, 118, 161, 162, **164**, 181, 225, **225**, 227, 247, 251, 252
 ArcInfo software, 121, 227, 257
 ArcMap software, 118, 121
 Hawth's Tools for ArcMap software, 118, 121
- essential fish habitat (EFH), 13-27, 149, 261
 defined under MSFCMA, 13, **17**, 20, 264
 EFH Environmental Impact Statement for Heceta Bank, 255
 Essential Fish Habitat Conservation Area, 203, 239, 260, 264
 Habitat Areas of Particular Concern (HAPC), 239, 260, 264
 "essential harvest habitat," 259
- Euclidean distances, 189, **208**, 257
- EUNIS system of habitat characterization, 8, **171**, 253
- European Geostationary Navigation Overlay System. *See* EGNOS
- European Union, 8, 263
- Exclusive Economic Zone (EEZ). *See* Australia; Ireland; U.S. Exclusive Economic Zone
- explosive marine seismic sources, 91, 244
- Extended Continental Shelf, 8, 258, 264
- F**
- Fairweather* (NOAA ship), 241
- Fairweather Ground, Alaska, 173, 249, 258
 map of potential marine benthic habitats, **175**
- Falcon, Seaye (ROV), **110**, **111**, 246
- "far-field" and ARS resolution, 33
- Federal Geographic Data Committee (FGDC), 261
- FISH_ROCK (GUI), 132, 139
- fisheries management
 need for marine habitat mapping, 13, 20, 22
 twenty years of fish-habitat studies on Heceta Bank, 203-217, 254-255
 using ARS for habitat mapping, 34
- Fisher Seatotter, 246
- fish-habitat studies on Heceta Bank, 203-217
 variable loadings of seafloor types, invertebrates, and fishes, **210**
- fishing gear, impact on seafloor, 150
- fish reactions
 to drop camera video sleds, 122
 to high-intensity discharge light, 145
 to manned submersible, 147-148, 152, 206, 208
 to ROVs, 122
- fish scale, 3-4
- fish sonar, 240, 251
- flatfish, 203
- floating navigational aid, **74**
- Florida Atlantic University, 42
- Florida System for Classification of Habitats in Estuarine and Marine Environments (SCHEME), **171**
- FM. *See* frequency modulated (FM) waveforms
- Focal Variety Analysis, **231**, **232**, **233**, 234, 257. *See also* ArcInfo software
- FOCUS (tow vehicle), 5
- Folk scale, 198, **200**, **201**
- foreshore, 71, 73, 243
- Fourier histogram, 185, 189
- Freese, J.L., 149
- frequencies of ARS
 bandwidth, pulse duration and range resolution, **33**
 sidescan sonars, 36
 transducer sizes and beam footprints as a function of ARS frequency and beamwidth, **37**
 and wavelength, range and penetration, **33**
- frequency modulated (FM) waveforms, 34, 35
- Friday Harbor Laboratories, **110**
- Fugro Pelagos, Inc., 81, **174**, **175**, **177**, 185, 240, 241
 Survey Estimator software, 240
 WinFrog navigation system, 116, 145
- Furuno Navigator, 145
- F/Vs
Aloha (F/V), 205, **205**
McGaw (F/V), **205**
Velero IV (F/V), **205**
- G**
- Galloway, James L., 3, 6, 195-201, 242-243, 245, 251
- GARP. *See* Genetic Algorithm for Rule set Production
- gas seeps
 Barkley Canyon, 47, 57
 Santa Monica Basin, 47
- generalized linear mixed models (GLMMs), 131
- Genetic Algorithm for Rule set Production (GARP), 256
- GeoAcoustics, 38
- GEOCORDER software, 240
- geographic information system (GIS), 53, 91, 145, 159, 169, 170, 178, 185, 189, 192, 195, 197, 211, 221, 225, 234, 248, 254, 255, 257, 264
- Geological Long Range Inclined Asdic (GLORIA), 36, 246, 257
- Geological Survey (Canada), 7
- Geological Survey (Ireland), 8, 255
- Geological Survey (U.S.). *See* U.S. Geological Survey (USGS)
- geology
 choosing right techniques for geological mapping, 261-263
- geology (continued)
 geologic studies using ARS, 34
 on Heceta Bank, 214-215
 integrating biology and geology: selecting appropriate technologies, 260-261
 of New Hampshire Inner Continental Shelf, 13, **18**
 surficial geology, 91-97
 surficial geological habitats of the Washington and Oregon continental margin, **213**
 use of to classify habitats, 161, 169
 volcanic cones (pinnacles), **174**, 249
- geomorphology, 1
 as a critical element for habitat mapping, 173
- focal variety analysis, 234
- geomorphic diversity, 227
- geomorphic features map for Australia, 222-223, 225, 257
- focal variety analysis of
 geomorphology and seascapes classification, **233**
 list of features mapped in Australia's EEZ, **224**
 for Southwest Planning Region, **226**, **232**
- geomorphological units, 211, 222, 234
 in Glacier Bay study, 252
 as a way to differentiate habitats, **29**
- geophysical data, 169, 173, 241, 249, 257
- Georges Bank (Scotian Shelf), 7
- Georgia, Strait of, 96, 196, 245
 multibeam survey habitat chart, **196**
- Georgia Basin, 245
 multibeam survey habitat chart, **196**
- geoscience and Australia's representative marine protected area program, 219-236, 256-258
- Geoscience Australia, 219, 221, 225, 257
- GeoSwath sonar, 38
- German Bank (Scotian Shelf), 7
- GIB acoustic tracking system, 118
- GigE Vision camera, **106**
- gill-netting, 130
- GIS. *See* geographic information system
- Glacier Bay, Alaska, 6, 7, 251-252
- Gland, Gerd, 3, 240-241
- GLMM. *See* generalized linear mixed models
- Global Explorer* (ROV), 262
- global positioning system. *See* GPS
- GLORIA. *See* Geological Long Range Inclined Asdic
- GOA. *See* Gulf of Alaska
- golden king crab, 148
- Goldfinger, Chris, 129-141
- gorgonian coral, 151
- GPS, 42, 51-52, 76, 80-82, 87, 117, 145, 198, 214, 241, 243, 255
 CDGPS, **81**, 81
 DGPS, 71, 80, 81, 116, 247
 GPS intelligent buoy (GIB) acoustic tracking, 118
 LADGPS, 80, 81
 NADGPS, 81, **82**

- GPS (continued)
 WADGPS, 80-81, 82
 grab samples, 6, 71, 73, 101, 195, 198, **200**,
 244, 245, 262, 263
 graphical user interfaces (GUI), 132, 250
 gray-scale covariance texture indices, 185
 Greene, H. Gary, 1-11, 5, 109-128, 169-184,
 187, 237-265
 habitat mapping scheme, 172, 176, 178,
188, 222, 252, 253-254
 key to the habitat code, 181-184
 used by CDFG, 185
 greenspotted rockfish, 149
 greenstriped rockfish, **212**
 Grehan, Anthony, 8, 255-256, 258
 gridding, 53, 66
 groundfish. *See also* specific names
 catch levels, **94**, **94**
 in Cowcod Conservation Areas, 248
 distribution, 3
 evaluation of the *SeaBED* (AUV) for
 monitoring groundfish in an
 untrawlable habitat, 129-141,
 250
 map of trawl surveys of groundfish, **130**
 twenty years of fish-habitat studies on
 Heceta Bank, 203-217
 groundtruthing, 6, 7, 8, 29, 99, 101-102, 103,
 113, 144, 149, 176, 178, 185, 187,
 189, 192, 197, 198-199, 211, 215,
 237, 238, 245-246, 247, 249, 250,
 251-252, 255-256, 261, 262
 Guenther, G.C., 3
 GUI. *See* graphical user interfaces
 Gulf of Alaska, 2, 13, 150, 178, 238, 240, 247
 corals in Eastern Gulf, 22, 239
 map of Eastern Gulf of Alaska Coral
 Habitat Protection Area, **26**
Delta (manned submersible) surveys,
 148-149, 150, 151, 248-249
 map of Essential Fish Habitat in, **17**
 rockfish in, 20, 22, 131, **148**
 Gulf of Alaska Stock Assessment and Fishery
 Evaluation (NPFMC), 150
 Gunderson, Donald R., 109-128
- H**
 Habitat Areas of Particular Concern (HAPC),
 239, 260, 264
 habitat-based stock assessments, 20, 22, 150,
 239, 247, 249
 habitat classification procedures, 5-6
 acoustic habitat classification, 199, 245,
 253
 Australian scheme for classification of
 habitats, 171-172, 221-222, 234,
 256-257
 Classification of Sublittoral Habitats
 with Applications to the
 Northeastern North American
 Region, **172**
 Classification of Wetlands and
 Deepwater Habitats of the
 U.S., **171**
 Classification System of Marine and
 Estuarine Habitats, **171**
- habitat classification procedures (continued)
 Coastal and Marine Ecological
 Classification Scheme
 (CMECS), 5, 170, 171, **172**,
176, 253
 Coastal and Marine Systems of North
 America: Framework for
 an Ecological Classification
 Standard: Version II, **172**
 Construction of Digital Potential Marine
 Benthic Habitat Maps Using a
 Coded Classification Scheme
 and Their Application, **172**
 Decision Tree Classification, 251
 EUNIS system of habitat
 characterization, 8, **171**, 253
 Florida System for Classification of
 Habitats in Estuarine and
 Marine Environments
 (SCHEME), **171**
 Greene habitat mapping scheme, 172,
 176, 178, 252
 key to the habitat code, 181-184
 habitat characterization schemes
 selected by Lund and Wilbur,
172
 habitat classification and visual
 surveying, 161
 habitat classification scheme for Heceta
 Bank, **208**
 list of popular marine benthic habitat
 classification schemes, **171**
 marine benthic habitat classification:
 what's best for Alaska, 169-184,
 253-254
 Marine Ecosystem and Habitat
 Classification, **171**
 Marine Estuarine Habitat Classification
 System for Washington State,
171
 Marine Habitat Classification for Britain
 and Ireland, **171**
 maximum likelihood classification
 (MLC), 187-189, **190**, 251
 MBARI surveys using the *D. Allan B.*, 47
 Our Living Ocean Benthic Habitat
 Classification System, **171**
 protocol for continental shelf habitat
 classification, **160**
 Recommendation for a Comprehensive
 Habitat and Land Use
 Classification System for the
 National Estuarine Research
 Reserve System (NERRS), **172**
 shelf habitat classification, 225
 two-letter codes for classifying habitats,
 5, **161**, 209, 250
 habitat disturbance and adversity, 5, 7
 habitat diversity, 214, 215, 256, 257
 habitat protection
 Aleutian Islands coral gardens, 20, 22, **23**,
26, 239
 Eastern Gulf of Alaska Coral Habitat
 Protection Area, 22, **26**
 and North Pacific Fishery Management
 Council, 20, **21**, 22
- habitat protection (continued)
 Sitka Pinnacles Marine Reserve, 22, **24**,
 239
 and South Lena subdivision (Juneau,
 Alaska), 22, 239
 habitats, mapping of. *See* marine habitat
 mapping; seafloor mapping
 habitat-specific assemblages, 149
 habitat suitability modeling, 256
 hake, 203, 205, 256
 halibut, 144, 203, 249
Haliotis sorenseni. *See* white abalone
 halogen lights, **100**
 Hannah, C.G., 171
 HAPC. *See* Habitat Areas of Particular
 Concern
 Harbor Branch Oceanographic Institution,
 246
 Hare, Robert Mason, 3, 71-89, 243-244
Harold Streeter (R/V), 138
 Harris, Peter T., 5, 7-8, 219-236, 246, 256-258
 Hawaiian Islands, 5
 Midway Islands, 13, **14**
 Hawth's Tools for ArcMap software, 118, 121
 Hazy Island, Alaska, **177**, 249
 Heap, Andrew, 219-236
 Hecate Strait, British Columbia, 3, **93**, 196,
 199
 groundfish catch levels, **94**, 94
 hexactinellid sponge reefs, **95**, 95-96
 trawl fishery and surficial geology, 93-95
 Heceta Bank, Oregon, 1, 7, 238, 250, 253
 bathymetric map of, **206**
 cluster analysis of fishes, **208**
 densities of selected fish taxa, **210**
 density estimates of certain rockfish, **212**
 EFH Environmental Impact Statement,
 255
 habitat classification scheme for, **208**
 maps
 with bathymetric contours underlain
 by sun-illuminated sonar,
207
 of Heceta Bank using multibeam
 sonar, **204**
 with multibeam sonar backscatter,
207
 of trawl surveys of groundfish, **130**
 ROV surveys of, 211, 213, 214
 twenty years of fish-habitat studies, 203-
 217, 254-255
 use of backscatter to study Heceta Bank,
207, 211, 213
 use of *Delta* (manned submersible) to
 study, 148, 149
 use of two-letter codes for classifying
 habitats, 5
 variable loadings of seafloor types,
 invertebrates, and fishes, **210**
 Henthorn, Richard, 47-69
 HERMES. *See* Hotspot Ecosystem Research
 on the Margins of European Seas
 (HERMES)
 hexactinellid sponge reefs, 3, 91, **95**, 95-96,
 244
 mapping of along Pacific Northwest
 coast, **92**

- Hexagrammos decagrammus*, 122
 high-intensity discharge light, 145
 high resolution. *See* resolution
 high-water line, 73
 Hixon, Mark A., 148, 151, 161, 203-217
 Holocene epoch, 91, 94, 96
 Hood Canal, 246
 Horita
 PG 2100 TCG, 145
 time code wedge, 159
 Hotspot Ecosystem Research on the Margins
 of European Seas (HERMES), 255
 HOV (human-occupied submersibles). *See*
 manned submersibles
 Hoyt, Z.N., 148
 Huff, Lloyd C., 2, 29-45, 242-243, 262
 hull-mounted sonars, 2, 18, 29, 34, 47, 91,
 242, 243
 chart of sensitivity of angle of incidence,
 39
 comparisons
 with sidescan sonar, 262
 with towed sonar, 188
 with towed sonars, 244
 and mounting of transducers, **74-79**, 75
 multibeam sonars, 44, 57, 60, 242, 251
 day rates for, **259**
 hull types, 88
 human-occupied submersibles. *See* manned
 submersibles
 Huntec DTS subbottom boomer profile, **93**,
 95, 244
Hyas lyratus. *See* Pacific lyre crab
 Hydrobot (ROV), **110**
 Hydrobotics, **110**
 hydrocorals, 149
 Hydrographic Specifications and
 Deliverables (NOS), 240
 hydrographic surveying and mapping, 2, 3,
 10, 33-34, 241, 243, 261, 265
 NOAA Hydrographic Survey Priorities
 for Alaska, 241
 standards for, 71, 72, 73
 Hydrographic Survey Priorities for Alaska
 (NOAA), 241
 hydrographic system, **88**
 Hypack® software, 117, 121, 198
 example of error in ROV positioning due
 to incorrect Hypack software,
 117
 Max software, 116
- I**
 icebergs, 96, 244
 IHO. *See* International Hydrographic
 Organization
 Imagenex, 881 sector scanning sonar, 146
 imaging and sampling platforms/tools. *See*
 also specific platforms and tools
 choice of by depth, 262
 imaging AUVs. *See* AUVs (autonomous
 underwater vehicles)
 issues related to, 262-263
 IMCRA. *See* Interim Marine and Coastal
 Regionalisation of Australia
 Impact software (QTC), 197, 245
- impedance, acoustic, 30, 37, 91, 239
 diagram of acoustic impedance contrast,
 31
 implosive marine seismic sources, 91, 244
 incidence angles, 31-32, 37, 38, 40, 42, 100,
 104, 108, 242
 impact of bottom type and angle of
 incidence on backscatter, **32**
 mosaics of backscatters, **43-44**
 sensitivity to deployment geometry and
 cross-track distance, **39**
 inertial navigation systems (INS), 47, 53, 82,
 118, 126, 243
 Kearfott Seadevil inertial navigation
 system, **51**, 51-52
 INFOMAR. *See* Integrated Mapping for
 the Sustainable Development of
 Ireland's Marine Resource
 Inner Continental Shelf (New Hampshire),
 18
 INS. *See* inertial navigation systems
 INSS. *See* Irish National Seabed Survey
 Institute of Oceanographic Sciences (IOS),
 36
 Integrated Mapping for the Sustainable
 Development of Ireland's Marine
 Resource (INFOMAR), 255
 Integrated Ocean and Coastal Mapping
 (IOC/M), NOAA, 241
 interferometric sidescan systems, 3, 6, 29, 38,
 40, 40, 178, 186, 241, 242, 261, 262
 Interim Marine and Coastal Regionalisation
 of Australia (IMCRA), 222
 International Hydrographic Organization
 (IHO), 71, 223, 240, 261
 International Organization for
 Standardization, 261
 ISO-certified hydrographic charting, 3
 intertidal zone, 2, 245
 use of to classify habitats, 169
 invertebrates
 megafaunal invertebrates, 143, 149, 161,
 203, 206, 208-209, 213, 214,
 252, 254
 variable loadings of seafloor types,
 invertebrates, and fishes, **210**
 IOS. *See* Institute of Oceanographic Sciences
 Ireland
 Geological Survey, 8, 255
 Irish Exclusive Economic Zone, 8, 255,
 264
 lessons learned from the Irish National
 Seabed Survey, 263-265
 and UN Law of the Sea, 258
 Irish National Seabed Survey (INSS), 1,
 238, 255-256. *See also* Integrated
 Mapping for the Sustainable
 Development of Ireland's Marine
 Resource (INFOMAR)
 Islands of Four Mountains, 250
 ISO. *See* International Organization for
 Standardization
 ISO-certified hydrographic charting, 3
- J**
 Jaccard statistic, 222
 Jagielo, T.H., 150
- Jason/Medea (ROV), 262
 J-frame crane, **48**, 50
John P. Tully (CCGS ship), 243
Johnson-Sea-Link (manned submersible), 144
 Juan de Fuca
 Juan de Fuca Ridge, 57, 243
 Juan de Fuca Strait, 245
 Strait of Juan de Fuca, 196, 245
- K**
 Kalman filter, 247
 Karpov, K.A., 118
 Kearfott Seadevil inertial navigation system,
 51, 51
 keels and mounting of transducers, 74, **74-76**
 kelp, 3, 72, 74, 123, 185, 261, 262
 kelp greenling, 122
 Kevlar Samson™ line, 115-116
 King County (Washington) Department of
 Natural Resources, **110**
 Kirkwood, William J., 47-69
 Klein
 System 3000 sidescan sonar, 241
 System 5000 sidescan sonar, 38, 41, 241
 Kocak, D.M., 147
 Kodiak Island, 151, 249
 Kongsberg Maritime, 76
 EM1002 multibeam sonar, 195, 197, 198,
 199, 199
 EM3002 multibeam sonar, 195, 198, 199,
 199, **201**
 Multiview software (QTC), 198
 Kostylev, V.E., 171
 Kriging analysis, 162
 example of map for Cordell Bank, **165**
 Kurland, Jon, 1-11, 13-27, 237-265
 KVH Azimuth® compass, 116, 117
- L**
 LADGPS. *See* local-area DGPS
 LADS (Laser Airborne Depth Sounder), 241
 Lafferty, K.D., 187
 laminar flow, location of, 74, 76, **79**
 Laser Airborne Depth Sounder. *See* LADS
 (Laser Airborne Depth Sounder)
 lasers
 crossing lasers, 104
 LADS (Laser Airborne Depth Sounder),
 241
 laser line scan, 5, 253, 261
 Marfab red helium neon-scaling lasers,
 145
 monochromatic laser line scan, 5
 multispectral laser line scan surveys, 5
 parallel lasers, **100**, 103, 104, 246, 255
 ring laser gyro, **146**
 scaling lasers, 99, 104, 145, **146**, 213, 247,
 251
 Late Quaternary glaciation, 91
 lateral resolution. *See* resolution
 Law of the Sea (UN), 240, 258
 LBL. *See* long-baseline (LBL) transponder
 net
 leadline survey, 71, 72, 73, 195, 245, 247
 Lena Beach, Alaska, 22, 239
 LIDAR (light detection and ranging system)
 airborne LIDAR, 1, 3, 72, 241-242, 261

- LIDAR, airborne (continued)
 day rates for, **259**
 issues related to, 262
 bathymetric LIDAR surveys, 241-242
 SHOALS LIDAR, 199
 use of in shallow water, **176**, 178
- Li-ion batteries, 49, 52, 243
- line-transects, 146, 147, 148, 150
 one-sided line transects, 146
- lingcod, 239
 on Heceta Bank, Oregon, 205, 209
 in Monterey Bay, 149
 in San Juan Channel, 111, 118, 122
 at Sitka Pinnacles, **25**, 173, **175**
- LinkQuest, TrackLink navigation system, 116
- LiON batteries, 87
- Li-polymer batteries, **49**, 52
- Lithodes aequispinus*. See golden king crab
- Living Oceans Society, **19**
- lobsters and ROVs, 122
- local-area DGPS (LADGPS), 80, 81
- Lockhart, Carol, 241, 261, 262
- Lockhart, Doug, 2, 240, 241, 262
- logging equipment, 4, 49, 51, 53, 73, 82, 87,
 157, 158-159, 161, 162, 241
- long-baseline (LBL) transponder net, 50, 118,
 250
- Loran C, 254
- Love, M.S., 136
- low water line, 71, 73
- Lucia Canyon, 243
- Lucia Chica Fan, **63-64**
 surveys, 47, 60
- Lund, K., 170, **172**, 173
- Lycodes corteziianus*. See bigfin eelpout
- Lyopsetta exilis*. See slender sole
- M**
- Madden, C.J., 5
- Magnuson-Stevens Fishery Conservation
 and Management Act (MSFCMA),
 13, 20, 261, 264
- Maier, Katherine L., 47-69
- main vehicle computer (MVC), 49, 51, 52
- management of marine resources, 13, 20, 22
- manned submersibles, 1, 4, 126, 151-152, 157,
 161, 243. See also *Aquarius*; *Delta*;
Johnson-Sea-Link; *Mermaid II*;
Nekton Gamma; *Pisces*
- advantages of, 247, 249
- comparisons
 with AUVs, 138-139, 140
 with ROVs, 158, 248, 255
 with underwater video sleds, 106,
 149
- day rates for, **260**
- discovery of new species, 151
- diver observations vs. video recordings, 4
- evaluating the effectiveness of, 248
- on Heceta Bank, 205-206
- issues related to, 263
- sensors mounted on, **146**
- specifications for, **144**, 144-146
- study of demersal communities in
 Northeast Pacific, 143-155,
 247-249
- manned submersibles (continued)
 used to assess fish abundance and habitat,
 129
- manual classification by scientists, 7
- manual clustering, 245
- Manual on Hydrography (IHO), 71
- mapping. See California Coast State Waters
 Mapping Project (CCSWMP);
 ecological mapping; hydrographic
 surveying and mapping; marine
 habitat mapping; scale in habitat
 mapping; seafloor mapping;
 shallow-water mapping; sonar
 mapping; subbottom profiling;
 substrates, mapping; swath
 mapping
- Mapping European Seabed Habitats (MESH),
 255
- mapping payload section of an AUV, **51**
- Marfab red helium neon-scaling lasers, 145
- "marginal" habitats, 249
- Marine Ecosystem and Habitat Classification,
171
- Marine Estuarine Habitat Classification
 System for Washington State, **171**
- Marine Geology Program, 185
- Marine Habitat Classification for Britain and
 Ireland, **171**
- marine habitat mapping, 13-27. See also
 seafloor mapping
 acoustic remote sensing as a tool for
 habitat mapping in Alaska
 waters, 29-45
 definition of, 17, 239
 evaluation of the *SeaBED* (AUV) for
 monitoring groundfish in an
 untrawlable habitat, 129-141,
 250
 examples of, **15**, **16**, **17**, **18**, **19**, **21**, **23**,
24, **26**
 geoscience and Australia's representative
 marine protected area program,
 219-236
 importance of for resource managers,
 13-27, 239
 integrating biology and geology:
 selecting appropriate
 technologies, 260-261
 marine benthic habitat classification:
 what's best for Alaska, 169-184
- MBARI surveys using the *D. Allan B.*,
 47-69
- need for collaborative efforts and
 standards, 258
- objectives for, 258, 260, 261
- parameters that may segment habitats,
29
- protocol for continental shelf habitat
 classification, **160**
- seafloor character map, 185-194, 251-252
- study of demersal communities using
Delta (manned submersible),
 143-155, 247-249
- surficial geology, 91-97
- systematic acoustic seafloor habitat
 mapping of British Columbia
 coast, 195-201, 245
- marine habitat mapping (continued)
 twenty years of fish-habitat studies on
 Heceta Bank, 203-217, 254-255
 using small boats in shallow water, 71-89
 using underwater video sleds, 99-107,
 250-251
 value of, 17, 20, 22
 video analysis, experimental design
 and database management of
 submersibles, 157-167, 252-253
 ways to improve quality of, 186
 ways to measure success of, 258
- Marine Habitat Mapping Technology
 Workshop, 170
 criteria for selecting appropriate and
 cost-effective underwater tools,
 151-152
 summary of papers, 1-11
 workshop report, 237-265
- Marine Institute (Ireland), 255
- Marine Life Protection Act (California), 263
- marine protected areas (MPAs)
 assessing performance of, 246
 in Australia, 219-236, 256-258
 categories of protected areas, **220**
 design of, 221, 227, 234
 four pathways leading to the design
 of, **221**
 in California, 263, 264
- Marine Protected Areas as a Tool for
 Ecosystem Conservation
 and Fisheries Management
 (PROTECT), 255
- Marine Technology Society, Remotely
 Operated Vehicle Committee, 110
- MARS cable route, **56-57**, 56-57, **228**
- Masuda, M.M., 148, 151
- matched filter processing. See pulse
 compression of sonar
- maximum likelihood classification (MLC),
 187-189, 251
 classified rugosity image used for MLC
 of substrates, **190**
- Mayer, Larry, 2, 239, 240, 245, 258, 262
- MBARI. See Monterey Bay Aquarium
 Research Institute (MBARI)
- MBedit (software), 53
- MBeditviz (software), 53, **54**
- MBES. See multibeam sonars
- MBgrdviz (software), 52, **54**
 screen dump from, **52**
- MBgrid (software), 53
- MBnavadjust (software), 53, **55**
- MB-System visualization applications
 (software), 52, 53, 243
 screen dumps from, **52**, **54-55**
- McConnaughey, R.A. (Bob), 4, 6, 251
- McEntire, Scott, **101**
- McEwen, Rob, 47-69
- McGaw* (F/V), **205**
- mean grain size, 245-246
- megafaunal invertebrates, 143, 149, 161, 203,
 206, 208-209, 213, 214, 252, 254
- Meridata MD-DSS, **36**
- Mermaid II* (manned submersible), 144, **205**,
 205, 254

MESH. *See* Mapping European Seabed Habitats

methane hydrate outcrops
Barkley Canyon, 47, **59**
Santa Monica Basin, 47, 57, **58**

mid depth ocean, 148, 195, 209, 254
choosing right techniques for mapping, 261
imaging and sampling platforms/tools, 262

Midway Islands, Hawaii, 13, **14**

military applications of ARS, 33, 34

Mill's Cross (Mill's T) transducer arrangement, 40, **41**

Minerals Management Service (MMS), U.S. Department of the Interior, 144, **205**
1988-1990 study of Heceta Bank, 206, 208-209, 254

MiniROVER MKII (ROV), **110**

mission planning, **52**
MB-System visualization application, **52**, 243

MLC. *See* maximum likelihood classification

MLPA. *See* California State Marine Life Protection Act (MLPA)

MMS. *See* Minerals Management Service, U.S. Department of the Interior

Molluscan (R/V), **113**, 114-115, 123

monochromatic laser line scan, 5

Monterey, California, 150

Monterey Accelerated Research System (MARS). *See* MARS cable route

Monterey Bay, 5, 47

Monterey Bay Aquarium Research Institute (MBARI), 47-69, **110**, 243

Monterey Bay Seafloor Mapping Lab, California State University, 185

Monterey Canyon, 47, 60, **68**, 243

mosaics, 241, 247
for ARS, 42, 44
mosaics resulting from different levels of post processing, 43-44
backscatter mosaics, 176, 187, 240
photomosaics, 4, 132, 250, 262
for sidescan, 53, 240

Moss Landing Marine Laboratories, Center for Habitat Studies, 111, 113, 178, 185

moving vessel profiler (MVP), 83

MPAs. *See* marine protected areas

MS Access® software, 161, 162, **162-163**

MSAS, 80, **81**

MSFCMA. *See* Magnuson-Stevens Fishery Conservation and Management Act

MTSAS. *See* MSAS

Muir Glacier, 251

multibeam sonars, 2, 3, 7, **30**, 239, 240, 242, 261-262
advantages of, 41
and angles of incidence, 32
and backscatter, 239-240
classification of data, 245, 252
comparison with sidescan sonar, 245
of Daisy and Coquille banks by *Thompson* (R/V), 134

multibeam sonars (continued)
day rates
for AUV mounted multibeam sonar, **259**
for hull-mounted, **259**
for nearshore region, **259**

geometry of, **41**

hull-mounted sonars, 44, 57, 60, 242, 251

limitations of, 40

MBARI surveys using the *D. Allan B.*, 47-69, 243

mosaics of backscatters, **43-44**

mounting of, 243

multibeam survey habitat chart of Strait of Georgia, **196**

multibeam swath (multibeam echosounder) sonar (MBES), 33, 34, 40-41, **72**, 169, 173
comparison of cross-track data with MBES bathy, MBES image, and TSSS, **35**
for deepwater mapping, 176, 178
sun-shaded relief MBES bathymetry, **174**
used in small-boat surveys in shallow water, 71-89

operating frequency, 33

simultaneous image of seafloor and water column, 240

systematic acoustic seafloor habitat mapping of British Columbia coast, 195-201, 245

3-D map of acoustic diversity, **201**

used by Canadian Hydrographic Service, 195

used in CCSWMP, 186

used on Heceta Bank, 211, 254

Multifunctional Transport Satellite-based Augmentation System. *See* MSAS

Multiple Use Zones, 220, **220**

multispectral laser line scan surveys, 5

Multiview software (QTC), 6, 197, 198, **201**

image feature algorithms, **197**

MVC. *See* main vehicle computer (MVC)

N

NADGPS, 81, **82**

Nasby-Lucas, N.M., 211

national benthic marine bioregionalization of Australia, **223**

National Geophysical Data Center (NGDC), 241, 258

National Marine Fisheries Service (NMFS), NOAA, 6, 20, 22, 129, **205**, 240
Auke Bay Laboratory, **110**, 178, 249
bottom trawl surveys, 6
Hawaii, **110**

National Marine Sanctuaries Program (NOAA), 144

National Ocean Data Center (NODC), NOAA, 158

National Oceanic and Atmospheric Administration (NOAA), 129, 187, 261
Alaska Fisheries Science Center (AFSC), 4

National Oceanic and Atmospheric Administration (continued)
Coastal and Marine Ecological Classification Scheme (CMECS), 5, 170, 171, **172**, **176**, 253

Hydrographic Survey Priorities for Alaska, 241

Integrated Ocean and Coastal Mapping (IOCM), 241

Marine and Aviation Operations, 89

National Marine Fisheries Service (NMFS), 6, 20, 22, 129, **205**, 240
Auke Bay Laboratory, **110**, 178, 249
Hawaii, **110**

National Marine Sanctuaries Program, 144

National Ocean Data Center (NODC), 158

National Ocean Service (NOS), 2-3, 249
Hydrographic Specifications and Deliverables (NOS), 240
map of Heceta Bank, **206**
Office of Coast Survey, 2-3, 89, 240-241

National Undersea Research Program (NURP), 144, 178, **205**
1987 study of Heceta Bank, 205-206
and Southwest Fisheries Science Center, **110**
use of SHOALS LIDAR, 199
West Coast and Polar Regions Undersea Research Center, 144, 178

National Ocean Service (NOS), NOAA, 2-3, 249
Hydrographic Specifications and Deliverables (NOS), 240
map of Heceta Bank, **206**
Office of Coast Survey, 2-3, 89, 240-241

national representative system of marine protected areas (NRSMPA) in Australia, 219, 220
design of, 221, 234
role of geoscience in, 220-221

National Undersea Research Program (NURP), NOAA, 144, 178, **205**
1987 study of Heceta Bank, 205-206

Naturaliste Plateau, Australia, 227

NatureServe, 170, **172**, 253

navigation. *See also* Doppler velocity log (DVL); positioning
electronic navigation charts (ENC), 71
inertial navigation systems (INS), 47, 53, 82, 118, 126, 243
Kearfott Seadevil inertial navigation system, **51**, 51-52
and MB-System visualizations applications (software), **55**
navigational aids, 73, **74**, **88**
and small-boat surveys, 82, 87
of submersibles, 158
AUVs, 53, 139
manned submersibles, 147
ROVs, 116-118, 121, **122**
“near-field” and ARS resolution, 33

- nearshore region, 20, 22, 73, 109, 111, 118, 195, 196-197, 242, 255
 challenges of mapping habitats, 199, 245
 choosing right techniques for mapping, 261
 imaging and sampling platforms/tools, 262
- Nehalem Bank, Oregon, 215
- Nekton Gamma* (manned submersible), 144
 "neutral zone," 126
- New Hampshire Inner Continental Shelf, 17
- NGDC. *See* National Geophysical Data Center
- NiMH batteries, 87
- NMFS. *See* National Marine Fisheries Service, NOAA
- NOAA. *See* National Oceanic and Atmospheric Administration
- NODC. *See* National Ocean Data Center, NOAA
- noise sources and small-boat surveys, 86
- nonvertical-beam sonars, 244
- North American DGPS. *See* NADGPS
- Northern Natural Resources Management Region of Tasmania, 13, 15
- North Pacific Fishery Management Council (NPFMC), 2, 20, **21**, 22, 150, 249
- North Pacific Research Board (NPRB), 2, 144, 178, 238-239
 NPRB Science Plan, 239
- Northrup-Grumman SM-2000, 5
- Northstar 952 dGPS, 116
- Northwest Fisheries Science Center (NWFSC), 4, 166, 250
- NOS. *See* National Ocean Service (NOS), NOAA
- NPFMC. *See* North Pacific Fishery Management Council
- NPRB. *See* North Pacific Research Board
- NRSMPA. *See* national representative system of marine protected areas (NRSMPA) in Australia
- NURP. *See* National Undersea Research Program, NOAA
- Nuytco Research Limited, 4
- NWFSC. *See* Northwest Fisheries Science Center
- O**
- obstacle avoidance sonar, 53
- oceanographic fronts, 5-6
- Oceans Policy* (ANZECC), 219
- O'Connell, Victoria, 3, 4, 143-155, 169-184, 248-249, 258, 263
- ODIM Moving Vessel Profiler winch, **84**
- Office of Coast Survey, National Ocean Service (NOAA), 2-3, 89, 240-241
- Omnistar XP, 81
- one-sided line transects, 146
- Ophiodon elongatus*. *See* lingcod
- Optech, 241
- ORE
 model 4330B transponder, 116, 117, 122
 Offshore® Tracking II Ultra-Short Baseline system, 116, 145
- Oregon Department of Fish and Wildlife, Marine Resources, **110**
- Oregon State University, **114**
- O-rings, 122-123
 troubleshooting table for ROV operations, **125**
- OTB. *See* over-the-bow (OTB) deployment of transducers
- OTS. *See* over-the-side (OTS) deployment of transducers
- Otter Bay* (CCGS ship), **85**, 243
- Our Living Ocean Benthic Habitat Classification System, **171**
- outcrop scale, 3
- Outer Continental Shelf study, 254
- outer-swath resolution. *See* resolution
- overfishing, 205
- over-the-bow (OTB) deployment of transducers, 75, 76, 77
- over-the-side (OTS) deployment of transducers, 75, **76**, 76, **78**
- P**
- Pacific Fishery Management Council (PFMC), 150, 255
- Pacific hake. *See* hake
- Pacific halibut. *See* halibut
- Pacific Islands Fisheries Science Center, 5
- Pacific lyre crab, 148
- Pacific Northwest coast, surficial geology and habitat, 91-97
 map of Pacific continental shelf of Canada, **92**
- Pacific ocean perch, 13, **17**, 150, 205
- Pacific walrus, 258
- Pacunski, Robert E. (Bob), 3, 4, 109-128, 246, 262
- Paduan, Jenny, 47-69
- Palsson, Wayne A., 109-128
- Pamplona Spur, 178, 249
- Pandalus* (R/V), 247
- Paralithodes camtschaticus*. *See* red king crab
- parallel lasers, **100**, 103, 104, 246, 255
- Patinopecten caurinus*. *See* weathervane scallop
- Patricia Bay, 245
- Paull, Charles K., 47-69
- Pautzke, Clarence, 2, 238-239
- PC-104 computer, 49
- pelagic habitats, 2, 5, 171
- penetration of acoustic waves, 30
 and ARS frequencies, **33**
 subsurface penetration, **36**
- Perth Canyon, Australia, 234
- Phantom model ROVs, **110**, 114, 262
 Phantom HD 2+2, 109, 110, **111**, 113, 114, 122, 126, 246, 247, 248
- photoc regime, **29**
- photoc zones, 169
- photogrammetric methods, 161
- photomosaics, 4, 132, 250, 262
- Pickrill, R.A., 7
- pilots and ROVs, 124, 126
- Piscataqua River, New Hampshire, **18**
- Pisces* (manned submersibles), 144
Pisces IV, 263
Pisces V, 263
- Pisces* Design video-text system, 114
- pit crater, 249
- platforms
 and AUVs, 3, 140, 243
 for cameras and videos, 3
 engineering test platforms, 49
 imaging and sampling platforms/tools
 by depth, 262
 issues related to, 262-263
 offshore platforms, 34
 oil platforms, 149
 portable platforms, 151
 and ROVs, 109, 110, 114, 256
 for small boat surveys, 71, 83, 87
 for sonar, 37, 42, 47, 203, 262
 submerged, 4
 and video sleds, 99, 100, 101, 106
- Pleistocene epoch, 91
- Plumarella*, 213
- pockmarks and the Lucia Chica Fan, 60, **63-64**, 244
- Polygon Habitat Map, 192
- Ponar grab sampler, **73**
- Porcupine Bank, Ireland, 256
- Portlock Bank, 178, 249
- positioning. *See also* GPS; navigation
 for ARS, 42
 for manned submersibles, 147, 203
 for ROVs, 114, 116-118, 189, 203, 214
 for small boat surveys, 71, 73, **80**, 80-82, 87
 and video sleds, 99, 104, 189
- Post, Alix, 219-236
- post-mission (post-processed kinematic, PPK), 81
- post processing of ARS, 42, 44
 mosaics resulting from different levels
 of, **43-44**
- Potential Habitat Map of the Hazy Island area, **177**
- power needs
 for data processing, 87
 for ROVs, 124
 for small boat surveys, 83, 86
 troubleshooting table for ROV operations, **125**
- PPK. *See* post-mission (post-processed kinematic)
- precise point position (PPP), 80
- Primnoa* spp. *See* red tree corals
- Pro 3 (mini-class ROV), 111
- PROTECT. *See* Marine Protected Areas as a Tool for Ecosystem Conservation and Fisheries Management
- prowfish, 173
- Ptilosarcus*, 213
- Puget Sound, 111, 199
- Puget Sound rockfish, 209
- pulse compression of sonar, 34
- pulse length, 29, 32, 34, 38, 41, 81, 242
 and ARS frequencies, **33**
- pygmy rockfish, 209, **212**
- Q**
- QNX operating system, 49
- Q-space, 197, **197**
- QTC software, 6-7

- quantitative video analysis, 1, 4
 Quaternary geological period, 91
 Queen Charlotte Sound, 196, 199, 244
 Quester Tangent Corporation, 199
 Impact software (QTC), 197, 245
 Multiview software (QTC), 6, 197, **201**, 245
 QTC software, 256
- R**
- radar, 82
 radial range resolution. *See* resolution
 range of ARS in seawater, **33**
 range resolution. *See* resolution
Ranier (NOAA ship), 241, 243
 real-time kinematic (RTK) positioning, 81
 receiver arrays, 239
 Recommendation for a Comprehensive
 Habitat and Land Use
 Classification System for the
 National Estuarine Research
 Reserve System (NERRS), **172**
 Recreational Use Zones, **220**
 red king crab, 20, 148
 Redondo Canyon, 57
 Redondo Channel, 47, **59**
 red rockfish, 149
 red tree corals, 22, 149, 151
 reflection of acoustic waves, 30, 31
 refraction of acoustic waves, 30
 regional bathymetric surveys, use of ARS
 for, 34
 Remotely Operated Vehicle Committee,
 Marine Technology Society, 110
 remotely operated vehicles. *See* ROVs
 Remote Ocean Systems Inspector camera,
 145
 remote sensing technologies, 2-3. *See also*
 acoustic remote sensing (ARS);
 sonar systems; underwater camera
 sleds
 day rates for, **259**
 remote sensing scales, 1, 2
 representative marine protected area
 program of Australia, 219-236,
 256-258
 resolution, 5, 29, 30, 33, 159, 173, 195,
 238, 239, 240, 245, 247, 251
 bathymetric resolution, 53, 60, 195, 199,
 211, 250, 254
 high resolution, 41, 146, 178, 215
 backscatter, 186, 188
 cameras, **102**, 103, 104, 113, 132,
 139-140, 145, 213, 214, 246,
 254
 high-resolution multibeam
 bathymetry, 111, 113, 118
 small-boat surveys in shallow water,
 71, 72, 87
 subbottom profiling, 3, 91, 93, 96,
 244
 surveys, 3, 4, 7, 13, 47-69, 148, 243
 lateral resolution, 32-33, 35-36, 37, 40,
 47, 56, 60
 across-track resolution, 36, 40, 41,
 242
 along-track resolution, 38, 242
- remote sensing technologies (continued)
 outer-swath resolution, 53
 range resolution, 32, 34, 37
 and ARS frequencies, **33**
 radial range resolution, 35
 requirements, 2
 sampling resolution, 41
 scale of resolution applied to CMECS,
 176
 of small details, 41-42
 spatial resolution, 36, 44, 45, 87, 195, 197,
 222, 242
 temporal resolution, 35, 40
 value of high resolution sonars, 72
 vertical resolution, 35, 41, 53
- Reson, 239, 241
 6046 software, 51
 7000 series, 240
 7100 multibeam, 53
 7125 multibeam, 41, 50, 53
 8101 multibeam, **177**
 Seabat 8111, 251
 Seabat 8125, 256
 Seabat EM300, 254
- Reynolds, Jennifer R., 1-11, 169-184, 237-265
 ring laser gyro, **146**
 Roberts, C.S., 220
 rockfish, 95, 209, **214**, 239. *See also* specific
 names
 distribution and assessment, 3, 149, 150
 evaluation of the *SeaBED* (AUV) for
 monitoring groundfish in an
 untrawable habitat, 129-141
 on Heceta Bank, 203, 205
 mapping habitats in Southeast Alaska,
 176
 unknown species of, 209
 use of *Delta* (manned submersible) to
 study, 143, 149
 use of ROVs to study, 111, 113, 118
 reactions to ROVs, 122
 rocky habitats and rosethorn rockfish, **136**,
 136
 Roff, J.C., 7, 222, 225
 roll and pitch tolerances, 244
 Ronald H. Brown (NOAA ship), **205**, 211
 Rooper, Christopher N., 4, 6-7, 99-107, 250-
 251, 263
 ROPOS (ROV), 109, 158, **205**, 211, 213, 254-
 255, 262
 Rose, Craig, **101**, 251
 Rosenkranz, Gregg, **106**
 rosethorn rockfish, 129, 131, 136, 148, 209,
 212, 250
 density of at Daisy and Coquille banks,
 138
 design of *SeaBED* AUV survey of, 132,
 134
 habitat characteristics at Daisy and
 Coquille banks, **136**
 habitat preferences of, 136, **137**, 138
 maturation levels, **138**
 results of *SeaBED* AUV surveys of
 rosethorn rockfish, **137**
- roughey rockfish, 150
- ROVs, 1, 157, 161, 243. *See also* *Bathysaurus*;
Buttercup; Seaeye Falcon; *Global
 Explorer*; Hydrobot; *Jason/
 Medea*; MiniROVER MKII;
 Phantom; VideoRay Pro 3; *ROPOS*;
VENTANA
 calibration grid, **121**
 comparisons
 with AUVs, 138-139, 140
 to *D. Allan B.* survey, 56-57
 with manned submersibles, 158, 248,
 255
 with underwater video sleds, 106
 costs of operation, 126-127
 day rates for, **260**
 for deep ocean operations, 47
 defining small ROVs, 246
 equipment schematics, **124**
 examples
 of error in ROV positioning due to
 incorrect Hypack software,
 117
 of a poor tracking responder, **117**
 fishery/habitat studies using small ROVs,
 110
 fish response to, 122
 issues related to, 262
 large ROVs, 109, 118, 126, 138, 262
 limitations of, 246
 maps of
 ROV survey of habitat stratification
 in San Juan Channel, **119**
 San Juan Channel ROV study area,
 112-113
 owners of small ROVs conducting
 fishery/habitat investigations,
 110
 raw navigation data for ROVs, **122**
 relationship of theoretical to calculated
 transect width, **121**
 ROV surveys on Heceta Bank, 211, 213,
 214
 safety considerations, 123
 small ROVs, 1, 4, 130, 147, 262
 shallow-water mapping, 4, 109-128,
 246-247
 troubleshooting table for ROV
 operations, **125**
 umbilical storage and management, **114**,
 114, 115-116, 126
 used to assess fish abundance and habitat,
 129-130
 use of shallow-water ROVs in northern
 Gulf of Alaska, 247
 visual surveys with a small ROV in
 shallow water, 109-128, 246
- RTK. *See* real-time kinematic (RTK)
 positioning
 rugosity, 41, 188-189, 253
 classified rugosity image, **190**
 false rugosity, **191**
- R/Vs
Elakha, **114**
Harold Streeter, 138
Molluscan, **114**, 114-115, 123
Pandalus, 247
Thompson, **50**, 131, 134

R/Vs (continued)

Zephyr, **48**, **50**

S

sablefish, **148**, **203**

safety, vessel, **82**, **83**

and mapping shallows, **3**

and ROVs, **115**, **123**, **124**

small-boat surveys, **82**, **83**, **87**

of submersibles, **52**

salinity, **5**

as a way to differentiate habitats, **29**

Salisbury Beach, Massachusetts, **18**

Samalga Island, **250**

sampling, **47**, **109**, **111**, **118**, **129**, **139**, **143**,

146, **148**, **157-158**, **200**, **246**, **255**,

256

acoustic sampling, **150**

bias, **148**, **157**

bottom samples, **4**, **73**, **93**, **106**, **244**, **254**

direct sampling, **3**, **29**, **234**

equipment for, **83**, **85**, **251**, **253**

grab samples, **6**, **71**, **73**, **101**, **195**, **198**,

200, **244**, **245**, **262**, **263**

imaging and sampling platforms/tools

by depth, **262**

issues related to, **262-263**

sample position uncertainties, **198**

sampling surveys, **1-2**, **29**

issues related to, **263**

methods, **4**

and scale disparities in British Columbia

coast mapping project, **199**

in situ sampling, **93**, **176**, **238**

statistical issues related to, **157-158**

strategies for Heceta Bank studies, **205-**

206, **209**, **211**, **214**, **252**

stratified sampling design, **158**

visual sampling, **198**, **199**, **245**, **263**

sampling resolution. *See* resolution

San Clemente, **47**, **60**, **65-67**

Sanctuary Zones, **220**, **220**

San Gregorio Fault, **56**, **56**

San Juan Channel, **4**, **199**, **246**, **247**

example of depth and slope stratification, **120**

maps

of broadscale habitat stratification,

119

of ROV study area, **112-113**

use of Greene habitat mapping scheme

in, **254**

visual surveys with a small ROV in

shallow water, **109-128**

San Juan Islands, **254**

Santa Barbara Channel, **186**, **186**

Santa Lucia Bank, **131**

Santa Monica Basin, **243**

D. Allan B. imaging a gas hydrate mound, **58**

surveys, **47**, **57**

SAS. *See* synthetic aperture sonar (SAS)

satellite-based augmentation systems (SBAS), **80**, **81**, **82**

Satellite Navigation Augmentation System.

See SNAS

SBAS. *See* satellite-based augmentation systems (SBAS)

SBES. *See* single beam sonar

scale in habitat mapping, **260**

as applied to CMECS, **176**

defining scale, **258-259**

importance of in classification schemes,

173, **176**

issues related to, **263**

scale disparities in British Columbia

coast mapping project, **199**

scaling lasers, **99**, **104**, **145**, **146**, **213**, **247**, **251**

Scanning Hydrographic Operation Airborne

LIDAR Survey. *See* SHOALS

LIDAR

Scapa Flow, Scotland, **240**

scattering of acoustic waves, **30**, **31**

SCHEME, **171**

Scotian Shelf, **1**, **5**, **7**, **170**

comparison with Alaska seabed, **171**

scuba

day rates for, **260**

issues related to, **262**

SeaBED (imaging AUV), **1**, **4**, **262**. *See also*

AUVs (autonomous underwater vehicles)

benefits and disadvantages of as a survey

tool, **138-140**

deployment methods, **133**

evaluation of in an untrawlable habitat,

129-141, **250**

limitations of, **250**

map of Daisy Bank and Coquille Bank

survey, **131**

schematic of, **133**

specifications for, **131-132**, **132**

surveys of rosethorn rockfish

design of, **132**, **134**

results of, **137**

Seabird

microbathymograph data logger, **104**

SBE19 Plus Seacat Profiler, **145**

Seabotix LBV, **246**

Seaeye Falcon (ROV), **110**, **110**, **111**, **246**,

262

seafloor habitats, **2**, **143**, **150**, **244**, **248**, **261**

classifying, **47**, **173**

supervised classification of sonar data,

185-194

and geological parameters, **170**

of Heceta Bank, **203**, **205**, **211**

impact of fishing gear on, **144**

Irish National Seabed Survey, **255-256**

mapping of, **2**, **8**, **22**, **101**, **145**, **149**, **171**,

242, **245-246**

acoustic mapping of seafloor habitats,

195-201

seafloor mapping, **1**, **2**, **192**. *See also* marine

habitat mapping

in Alaska, **172**, **173**

benthic habitat mapping, **1**, **2**, **6**, **7**, **169**,

170, **237-238**, **240**. *See also*

marine habitat mapping

California Coast State Waters Mapping

Project (CCSWMP), **185-194**

choosing correct video sled for, **101-102**

classified rugosity image, **190**, **191**

seafloor mapping (continued)

classified seafloor maps, **6**, **252**

diagram of acoustic impedance contrast

and seabed roughness, **31**

diagram of angle of incidence of

backscatter for different

bottom types, **32**

on Heceta Bank, **209**, **211**

variable loadings of seafloor types,

invertebrates, and fishes,

210

lack of oceanographic data, **6**

seafloor backscatter intensity data in

CCWMP, **188**

seafloor character and substrate class,

192

Seafloor Character Map, **185**

simultaneous image of seafloor and

water column, **240**

systematic acoustic seafloor habitat

mapping of British Columbia

coast, **195-201**, **245**

using acoustic remote sensing for habitat

mapping in Alaska waters,

29-45

using sidescan sonar, **37**

seafloors

complexity of, **173**

digital elevation models (DEM) of the

seabed, **38**

distinguishing changes of an acoustic

property from angle of

incidence, **42**

impact of fishing gear on, **150**

seafloor physiography, **6**

short-term effects of trawling on hard-

bottom habitats, **150-151**

types of

angle of incidence, **40**

sonar helping identify, **32**, **37**, **38**

seafood industry, **13**

seamounts, **176**, **221**, **222**, **223**, **257**

Axial Seamount, **47**, **57**, **60**, **61-62**, **243**

Davidson Seamount, **243**

Seamounts, deep-sea corals and fisheries

(UNEP), **256**

sea pens, **22**, **239**

seascapes

defining in Southwest Planning Region,

234

classification of the Southwest

Planning Region, **230**

focal variety analysis, **231**

graph of distance vs. classes, **229**

maps used define, **228**

plot for parameters defining

composition, **229**

and design of marine protected areas in

Australia, **227**, **234**

and geomorphology of Southwest

Planning Region, **233**

maps of Southwest Australia, **225**, **227**

spatial distribution of in Southwest

Australia, **227**

SeaSprite (VideoRay), **246**

Sebastes

S. aleutianus. *See* rougheye rockfish

- Sebastes* (continued)
- S. alutus*. See Pacific ocean perch
 - S. borealis*. See shortraker rockfish
 - S. chlorostictus*. See greenspotted rockfish
 - S. elongatus*. See greenstriped rockfish
 - S. emphaeus*. See Puget Sound rockfish
 - S. entomelas*. See widow rockfish
 - S. flavidus*. See yellowtail rockfish
 - S. helvomaculatus*. See rosethorn rockfish
 - S. levis*. See cowcod
 - S. nigrocinctus*. See tiger rockfish
 - S. paucispinis*. See bocaccio
 - S. pinniger*. See canary rockfish
 - S. ruberrimus*. See yelloweye rockfish
 - S. wilsoni*. See pygmy rockfish
 - S. zacentrus*. See sharpchin rockfish
 - S. alascanus*. See shortspine thornyhead rockfish
- sediment dynamics, 5-6, 134
- Delta (manned submersible) study of epibenthic communities and soft sediment, 151
 - and detection capabilities of sonar and LIDAR, 72
 - and hexactinellid sponge reefs, 95
 - and rockfish population, 95
 - San Clemente, 60, **65-67**
 - sediment assessment, 198, 244
 - sediment deformation in Santa Monica Basin, **58**
 - and surficial geologic surveys, 94
- Seistec, 244
- Seward, Alaska, 4
- SG Brown meridian standard gyrocompass, 145
- shallow depth ocean, 195
- shallow-water mapping, 3
- classification schemes for habitats, 169
 - first use of sidescan sonar, 36
 - in Ireland, 255
 - and LIDAR, 176, 178, 241-242
 - small-boat surveys, 71-89
 - and small ROVs, 4
 - typical launch installation of equipment, **80, 80**
 - use of shallow-water ROVs in northern Gulf of Alaska, 247
 - visual surveys with a small ROV in shallow water, 109-128, 246
- sharpchin rockfish, 173, **212**
- shellfish, 239
- Shipek grab, 198, **199, 200**
- SHOALS LIDAR, 199, 241-242
- ShoreZone program, 245, 247
- shortraker rockfish, 150
- shortspine thornyhead rockfish, 150, 209, 214, **214**
- Shotwell, S.K., 148
- shrimp habitat, 245
- Shumagin Islands, 3
- sidescan sonars (SSS), 2, 4, 7, 29, **30**, 36-40, **39**, 169, 262
- and angles of incidence, 32
 - and backscatter, 239-240
 - basic geometry, **37**
- sidescan sonars (SSS) (continued)
- bathymetric (phase-measured) sidescan sonars (BSSS), 71, 72
 - Benthos C3D BSSS, 38, 40, **76**, 195, 199, 241, 243, 245
 - comparison with multibeam sonar, 245
 - day rates for, **259**
 - high frequency sidescan sonar compared to ARS, 242-243
 - interferometric sidescan systems, 3, 6, 29, 38, 40, **40**, 178, 186, 241, 242, 261, 262
 - limitations of, 36-37
 - MBARI surveys using the *D. Allan B.*, 47-69, 243
 - mounting of, 243
 - operating frequency, 33
 - samples
 - of image of seabed with various textures, **38**
 - of SAS image showing small targets, **39**
 - sensitivity of angle of incidence to deployment geometry and cross-track distance, **39**
 - sidescan processing, 53, 56
 - synthetic aperture sonar, 29
 - towed sidescan sonars (TSSS), 34, 38, **44, 72**
 - comparison of cross-track data with MBES bathy, MBES image, and TSSS, **35**
 - used by Canadian Hydrographic Service, 195
 - use of in INSS, 256
- Simon Fraser University, School of Resource and Environmental Management, **110**
- Simrad, 239
- EM1002 multibeam sonar, 255
 - EM120, 255
 - EM3002 multibeam bathymetric system, 41
 - multibeam echosounder, 211
- Sinclair, A.F., 94
- Sinclair, M., 3
- Singh, Hanumant, 129-141
- single-beam sonar, 2, 195, 197, 262. *See also* vertical-beam sonars
- classification of data, 245, 247, 255
 - operating frequency, 33
 - single beam echosounders (SBES), 33-34, 35, 71, **72**, 72, 101, 255-256
 - single/split beam echosounders, 262
- Sirius* (AUV), 4
- Sitka, Alaska, **174**, 249
- Sitka Pinnacles Marine Reserve, 22, **24, 25**, 239
- size of fish estimates, 146
- SJC. *See* San Juan Channel
- slender sole, 214
- slope
 - as a critical element for habitat mapping, 173
 - example of depth and slope stratification in San Juan Channel, **120**
- slurp gun, 208, 254
- small-boat surveys, 1, 3, 4, 261
- designing the survey, 87-88
 - examples of launches used, **85, 86**
 - hull types, 88
 - need for navigational aids, **88**
 - noise sources, 86
 - power needs of, 83, **86**
 - for data processing, 87
 - in shallow water, 71-89, 243-244
 - winches, 83, **84**
- Smooth Line tool, 121
- SNAS, 80
- "snippet," 239, 240, 241
- software. *See also* specific software packages
- example of error in ROV positioning due to incorrect Hypack software, **117**
 - and underwater video sleds, 104
- Sonardyne MF USBL, 50
- sonar mapping, 1, 237, 239, 242, 251, 253, 256
- video-supervised classification of sonar data, 185-194, 251-252
 - map showing sonar survey off Coal Oil Point, **186**
- sonar systems, 2-3, 91. *See also* acoustic remote sensing (ARS); hull-mounted sonars; multibeam sonars; sidescan sonars (SSS); single beam sonar; towed sonars; vertical-beam sonar
- acoustic remote sensing as a tool for habitat mapping in Alaska waters, 29-45
 - bathymetric (phase-measured) sidescan sonars (BSSS), 71
 - "chirp sonar," 34-35, 50
 - choosing correct sonar, 242
 - fish sonar, 249, 251
 - obstacle avoidance sonar, 53
 - single beam sonar, 72-73
 - synthetic aperture sonar (SAS), 29, 38, 42
 - sample image showing small targets, **39**
 - ultra-short baseline sonars (USBL), 50-51, 52, 116, 118, 145, 208, 243, 247, 248, 250
- Sony
- EVI-330 camera, 113
 - GVD-1000 DV decks, 145
 - TR-81 camcorder, 145
- SOPAC. *See* South Pacific Applied Geoscience Commission
- Sound Metrics Corporation, 139
- Southeast Planning Region (Australia), **220**, 225
- Southern California Bight, 149
- Southern Mound Province of Porcupine Bank, 256
- South Lena subdivision (Juneau, Alaska), 22, 239
- South Pacific Applied Geoscience Commission (SOPAC), 178
- Southwest Fisheries Science Center, **110**
- Southwest Planning Region (Australia), 221, 225, 257

- Southwest Planning Region (Australia) (continued)
 defining seascapes, 234
 focal variety analysis, **231**
 graph of distance vs. classes, **229**
 maps used define, **228**
 plot for parameters defining composition, **229**
 seascape classification, **230**
 focal variety analysis of geomorphology and seascapes classification, **233**
 geomorphic features map, **226**
 focal variety analysis, **232**
- Spanier, E., 122
- sparkers, 244
- spatial distribution of seascapes in Southwest Australia, 227
- spatial resolution. *See* resolution
- Special Purpose Zones, **220**
- Special Use Zones, 220
- spectacled eiders, 258
- speed of ROVs, 121
- sponge reefs. *See* hexactinellid sponge reefs
- SSS. *See* sidescan sonars
- Standards for Hydrographic Surveys (IHO), 71
- standards for marine habit mapping, 258, 261
- Stanton Bank, Ireland, 256
- Starfix HP, 81
- “startle” response in fish, 122
- Stein, D.L., 148, 161
- stereo-video, 104
- Stevens, B.G., 148
- Stewart, L.L., 119
- Stingray, Benthos, 246
- stock assessment, 4, 99, 111, 260
 and demersal communities, 143, 144, 150, 197
 habitat based, 20, 22, 239, 247, 248, 249, 255, 261
 for Heceta Bank, 211, 214, 215
 in untrawable waters, 129
- Stone, R.P., 148, 151
- Stonewall Bank, Oregon, 206, 215
- Strait of Georgia, 96, 196, 245
 multibeam survey habitat chart, **196**
- Strait of Juan de Fuca, 196, 245
- stratified sampling design, **158**
- Stylaster*, 213
- Stylatula*, 213
- subbottom profiling, 1, 2, 29, 35, 56-57, 244-245, 262. *See also* chirp sonar
 acoustic systems for, 3
 combining with multibeam mapping operations, 96, 244
 example of a chirp subbottom profiler record, **36**
 in the Hecate Strait, **93**
 MBARI surveys using the *D. Allan B.*, 47-69, 243
 technology for, 91, 93
 towed subbottom boomer, 93, 244
- submarine canyons
 Barkley Canyon, 47, 57
 Monterey Canyon, 47, 60, **68**
- submarine fan systems
 Lucia Chica Fan, 47, **63-64**
 submarine fan systems (continued)
 Redondo Channel, 47
 Redondo Fan, **59**
 San Clemente, 47, 60, 65-67
- submersibles, 169. *See also* AUVs (autonomous underwater vehicles)
 Heceta Bank, Oregon
 early NURP study, 205-206
 list of dives on Heceta Bank, **205**
 mapping seafloor, geology, and integration, 211-214
 MMS study of demersal fish, 206-210
 twenty years of fish-habitat studies on Heceta Bank, 203-217, 254-255
- human-occupied submersibles. *See* manned submersibles
- remote operated vehicles. *See* ROVs
- video analysis, experimental design and database management, 157-167, 252-253
 training requirements for video dive analysts, 252
- substrates, 1, 6, 148, 251
 area of each substrate-depth class in CCWMP, **192**
 better mapping of gradational qualities, 185
 and biotopes, 222
 classified rugosity image used for MLC of substrates, **190**
 cluster analysis of fishes on Heceta Bank, **208**
 as a critical element for habitat mapping, 173
 of Daisy and Coquille banks, 131
 in Greene habitat mapping scheme, 176
 mapping, **18**, 239, 248, 250
 and mean grain size, 245-246
 rosethorn rockfish habitat preferences, 136, **137-138**, 138
 seafloor backscatter intensity data in CCWMP, **188**
 seafloor classification system, 134, **137**, 161, 181, 183, 208-209, 251
 substrate gradates along California coast, 187-189
 use of to classify habitats, 161, 169
- subtidal depths, 2
- sun-shaded relief MBES bathymetry, **174**
- support ships, day rates for, **259**, **260**
- surficial geology, 91-97, 244-245
 importance of to habitat map understanding, 96, 244-245
 surficial geological habitats of the Washington and Oregon continental margin, **213**
- surrogates for biological habitats, 257
 list of published studies, **227**
- Survey Estimator software, 240
- surveys. *See also* acoustical surveys; Axial Seamount; Barkley Canyon; bathymetric surveys; cable route surveys; Coquille Bank, Oregon; Daisy Bank, Oregon; *D. Allan B.* (Dorado class vehicle); engineering surveys using ARS; Gulf of Alaska; surveys (continued)
 Heceta Bank, Oregon; leadline survey; Lucia Chica Fan; Monterey Bay Aquarium Research Institute (MBARI); multispectral laser line scan surveys; rosethorn rockfish; sampling, surveys; Santa Monica Basin; small-boat surveys; towboard (towed-diver) surveys; trawl surveys; visual surveys
 design of, 88, 99, 109, 118-119, 132, 134, 146-148, 251
 preparations for, 158
 survey tracks, 6, 103
 at Coquille Bank and Daisy Bank, **135**
 in Monterey Bay, **56**
 suspended video sleds. *See* drop camera video sleds
 sustainable management of marine resources, 13, 20, 22
 swath mapping, 265
 swath multibeam sonars. *See* multibeam sonars
 Sweep systems, 72, 72
Swiftia, 213
 Sylasteridae. *See* hydrocorals
 synthetic aperture sonar (SAS), 29, 38, 42
 sample image showing small targets, **39**
- ## T
- TACOS sled, 4, **100**, 263
- Tanner Bank, California, **158**
- Tasmania, 13, **15**, 220
- Taylor, M. E., 222
- Teledyne Benthos. *See* Benthos
- temperature
 bottom water temperature, 5
 as a way to differentiate habitats, **29**
 temporal resolution. *See* resolution
 temporal variability in the oceans, 258
- Tenix LADS (Laser Airborne Depth Sounder), 241
- TEPS. *See* threatened, endangered, or protected species
- Thales GeoSolutions, 251
- Thomas, Hans, 47-69
- Thompson* (R/V), **50**, 131, 134
- threatened, endangered, or protected species (TEPS), 221
- 3-D acoustic diversity map, **201**
- 3-D presentation of backscatter, 42
- thrusters and ROVs, **125**
- tidal range
 mapping of, 238
 as a way to differentiate habitats, **29**
- tiger rockfish, 173
- tilefish, 144
- time-of-flight, 41
- Tissot, Brian N., 4, 148, 151, 157-167, 203-217, 252-253, 254-255
- Todd, B.J., 7
- Tolimieri, Nick, 4, 129-141, 250, 263
- “top-down” classification, 169
- top-down methodology, 101-102, 234
- towboard (towed-diver) surveys, 4-5

- Towed Automatically Compensating Observation System. See TACOS sled
- towed sonars, 2, 29, 72, 243
comparison with hull-mounted sonars, 244
towed sidescan sonars (TSSS), 34, 38, 44, 73, 242
comparison of cross-track data with MBES bathy, MBES image, and TSSS, 35
towed subbottom boomer, 93, 244
towed video sleds, 4, 161
tracking systems, 99, 103, 104, 110, 117, 118, 125, 126, 127, 187
- Trackpoint navigation system, 116-117
Trackpoint II USBL, 118
- tracks, survey, 6, 103
survey tracks at Coquille Bank and Daisy Bank, 135
survey tracks in Monterey Bay, 56
- transducer arrays, 32-33, 34, 35, 239
beam footprints as a function of ARS frequency and beamwidth, 37
examples of installation, 74-79
installation issues, 74-76
location of in sidescan sonar survey, 37, 40
multiple transducers, 72
- transect strategies, 119-121, 126, 132, 134, 148, 161
belt transects, 146, 147
example of radial transect pattern, 120
line-transects, 146, 147, 148, 150, 248
one-sided line transects, 146
relationship of theoretical to calculated transect width, 121
transect length, 147
use of quantitative transect methods for visual surveys of demersal fishes, 143-155
using Trackpoint II USBL, 208
- transponders, 116
ATT model 219 transponder, 116, 117-118, 122-123
example of poor tracking, 117
ORE model 4330B transponder, 116, 117, 122
troubleshooting table for ROV operations, 125
- trawling, short-term effects on hard-bottom habitats, 150-151
- trawl surveys, 262
of groundfish on Heceta Bank, 130
issues related to, 263
putting cameras on trawls, 251
- Tritech Osprey CCD color camera, 100
- TSSS. See towed sonars
- turbidity, 3, 104, 172, 222, 261
as a way to differentiate habitats, 29
- two-letter codes for classifying habitats, 5, 161, 209, 250
- U**
- ultra-short baseline sonars (USBL), 50-51, 52, 243, 247, 248, 250
- ultra-short baseline sonars (USBL) (continued)
ORE Offshore® Tracking II Ultra-Short Baseline system, 116, 145
Trackpoint II USBL, 118, 208
- Umbellula*, 213
- umbilical storage and management for ROVs, 114, 114, 115-116, 126
troubleshooting table for ROV operations, 125
- underwater camera sleds, 1, 102
accessory equipment for, 103-104
advantages of, 251
bottom contacting video sleds, 99, 99-100, 104
descriptive guide to equipment and costs, 105
still image captured by, 106
bottom tending video sleds, 100, 100-101
descriptive guide to equipment and costs, 105
- comparisons
with AUVs, 140
to AUVs, ROVs, and manned submersibles, 106
- descriptive guide to equipment and costs, 105
designing survey, 251
drop camera video sleds, 101, 101, 104, 111, 118, 250
and habitat mapping, 99-107, 250-251
issues related to, 263
limitations of, 251
list of basic sled components, 102
schematic of process for design of a sled, 102
- TACOS sled, 4, 100, 263
towed video sleds, 4, 161
- UNEP. See United Nations Environmental Program
- United Nations
Convention on Biological Diversity (CBD), 219, 256, 257, 263
Environmental Program (UNEP), 256
Law of the Sea, 240, 258
- University of Alaska Fairbanks, 20, 178
- University of Washington
Friday Harbor Laboratories, 110
Thomas G. Thompson (R/V), 129-141
unsupervised classification, 6-7
untrawable habitats and *SeaBED* (AUV), 129-141, 250
- Upper Monterey Canyon, 60
- urchin, 209, 214
- USBL. See ultra-short baseline sonars
- U.S. Exclusive Economic Zone, 7, 173, 240
- U.S. Geological Survey (USGS), 6, 185, 187, 189
Biological Resources Division, 251-252
Coastal and Marine Geology Program, 251-252
- U.S. National Park Service, 251
- V**
- Valentine, P.C., 5, 172
- VBES. See vertical-beam sonars
- Velero IV* (F/V), 205
- VENTANA (ROV), 109
- vents, Axial Seamount, 60, 61-62
- vertical-beam sonars, 2, 29, 32, 242. See also single-beam sonar
limitations of, 35
vertical-beam echosounders (VBES), 29, 34-36, 242
comparison of cross-track data with MBES bathy, MBES image, and TSSS, 35
- vertical resolution. See resolution
- very nearshore
choosing right techniques for mapping, 261
imaging and sampling platforms/tools, 262
- vessel safety, 82, 83
and mapping shallows, 3
and ROVs, 115, 123, 124
small-boat surveys, 82, 83, 86
of submersibles, 52
- video analysis
analog video vs. digital video, 103
and classification of sonar data for mapping seafloor habitat, 185-194, 251-252
equipment needed, 159
on Heceta Bank, 205, 208
protocol for continental shelf habitat classification, 160
quantitative video analysis, 4
submersibles, 4
video analysis, experimental design and database management, 157-167, 252-253
- typical video analysis lab, 159
and vessel track on acoustic classification map, 200
- videotapes and ROVs, 125
troubleshooting table for ROV operations, 125
- VideoRay
Pro 3 (mini-class ROV), 111
SeaSprite, 246
- video sleds, 1, 102
accessory equipment for, 103-104
advantages of, 251
bottom contacting video sleds, 99, 99-100, 104, 250
descriptive guide to equipment and costs, 105
still image captured by, 106
bottom tending video sleds, 100, 100-101, 250
descriptive guide to equipment and costs, 105
- comparisons
with AUVs, 140
to AUVs, ROVs, and manned submersibles, 106
with manned submersibles, 149
- day rates for, 260
descriptive guide to equipment and costs, 105
designing survey, 251

- video sleds (continued)
 drop camera video sleds, **101**, 101, **104**,
 111, 118, 250
 and habitat mapping, 99-107, 250-251
 issues related to, 263
 limitations of, 251
 list of basic sled components, **102**
 schematic of process for design of a sled,
102
 TACOS sled, 4, **100**, 263
 towed video sleds, 161
 used in CCWMP, 187
 visualization tools, **52**, 52
 visual-scale technologies, 3-5
 visual surveys, 1-2, 262
 day rates for visual survey techniques,
260
 of demersal fishes using quantitative
 transect methods from *Delta*
 (manned submersible), 143-
 155
 with a small ROV in shallow water, 109-
 128, 246
 volcanic cones (pinnacles), **174**, 249
- W**
 WAAS. *See* wide-area augmentation system
 WADGPS. *See* wide-area DGPS
 Wakefield, W. Waldo, 203-217
- Washington Department of Fish and Wildlife
 (WDFW), 111, **114**, 118, 122, 126
 water column, 2, 42, 74, 83, 99, 115, 139, 238,
 255
 mapping of, 238
 and remote sensing, 29, 34, 37, 49, 72, 86,
 150, 239, 240
 water guns, 244
 water turbidity, 3, **29**, 104, 172, 222, 261
 wavelength
 and ARS frequency, 30, 31, 32, **33**, 33, 36,
 37, 40
 and sonar, 242
 WDFW. *See* Washington Department of Fish
 and Wildlife
 weathervane scallops, 148, 151
 West Coast and Polar Regions Undersea
 Research Center (NOAA), 144, 178
 white abalone, 150
 whitewater, 3, 242, 261
 Whiteway, Tanya, 219-236
 WHOI. *See* Woods Hole Oceanographic
 Institution
 wide-area augmentation system (WAAS), 80,
81, 116
 wide-area DGPS (WADGPS), 80, 81, 82
 widow rockfish, 205
 Wilbur, A.R., 170, **172**, 173
- winches, 83, 101, 103
 ODIM Moving Vessel Profiler, **84**
 WinFrog navigation system (software), 145
 Wing, B.L., 149
 Woodby, Doug, 1-11, 13-27, 237-265
 Woods Hole Oceanographic Institution
 (WHOI), 4
 World Conservation Union, **220**
 Wyllie-Echeverria, T., 136
- Y**
 Yakutat, Alaska, 178, 249
 yelloweye rockfish, 20, 131, 146, 147-148, 173,
 209, 249
 habitat protection for, 22
 meso-habitat for, **175**
 yellowtail rockfish, 139, 147, 205
 Yeung, C., 4
 Yoklavich, Mary M., 3, 4, 5, 143-155, 247-248,
 263
- Z**
 Zacharias, M.A., 222
Zaprora silenus. *See* prowlfish
Zephyr (R/V), 48, 50
 Zezula, Dave, 241
 Zimmermann, Mark, 6-7